



**KES ENERGY**

Piazza delle Fornaci, 4 – 36030 Villaverla- Italy

[www.kes-energy.it](http://www.kes-energy.it) [info@kes-energy.it](mailto:info@kes-energy.it)

tel. +39 0445 350756

## KES ENERGY DIESEL GENSETS BY ENGINE MANUFACTURER

POWER		KES ENERGY	ENGINE						SWITCH	DIMENSIONS			
STANDBY KVA	PRIME KVA	MODEL	MAKE	MODEL	GROSS POWER KWM	CYLINDERS NO.	DISPLACEMENT IT.	FUEL CONSUM.*	AMPS	OPEN CM **	OPEN KG	ENCLOSED CM**	ENCLOSED KG
28	25	KECSW28	CUMMINS	X2.5-G2	22	3	2.5	6.0	40	170x80x125	665	175x90x140	865
38	35	KECSW38	CUMMINS	X3.3-G1	36	4	3.3	8.5	50	170x80x125	715	190x90x150	1020
44	40	KECSW44	CUMMINS	S3.8-G4	43.4	4	3.8	9.9	63	170x80x125	890	190x90x150	1190
55	50	KECSW55	CUMMINS	S3.8-G6	53.6	4	3.8	12.8	80	200x100x140	920	220x110x165	1235
66	61	KECSW66	CUMMINS	S3.8-G7	64.9	4	3.8	14.7	100	200x100x150	1035	220x110x165	1350
110	100	KECSW110	CUMMINS	6BTA5.9-G5	102	6	5.9	25	160	220x100x150	1245	190x110x150	1645
150	136	KECSW150	CUMMINS	6BTA5.9-G6	145	6	5.9	35.16	250	240x110x170	1535	190x110x150	1940
220	200	KECSW220	CUMMINS	QSB7-G5	213	6	5.9	45	400	270x120x180	1645	350x125x185	2250
275	250	KECSW275	CUMMINS	QSL9-G3	257	6	8.8	59	400	300x140x185	2285	390x145x185	3085
330	300	KECSW330	CUMMINS	QSL9-G5	310	6	8.8	63	630	300x140x185	2495	390x145x185	3290
400	365	KECSW400	CUMMINS	NTA885-G4	351	6	14	76	630	310x135x200	3345	440x145x225	4350
550	500	KECSW550	CUMMINS	QSX15-G8	500	6	15	101	800	350x140x220	3800	440x145x225	4800
700	636	KECSW700	CUMMINS	VTA28-G5	612	12	28	140	1000	355x155x220	4650	500x165x237	5855
900	810	KECSW900	CUMMINS	QSK23-G3	768	6	23	161	1600	420x170x220	6310	570x220x265	7620
1000	910	KECSW1000	CUMMINS	QST30-G3	895	12	30.5	184	1600	455x200x220	6930	570x220x265	8225
1100	1000	KECSW1100	CUMMINS	KTA38-G5	970	12	37.8	209	1600	450x180x225	8605	640x235x280	10210
1120	1000	KECSW1120	CUMMINS	QST30-G4	970	12	30.5	202	1600	425x200x235	7290	640x235x280	9470
1400	1275	KECSW1400	CUMMINS	KTA50-G3	1227	16	50.3	261	2000	560x200x240	11190	606x244x259	14090
1675	1400	KECSW1675	CUMMINS	KTA50-G8	1429	16	50.3	289	2500	560x200x240	11230	606x244x259	14130
2080	1890	KECSW2080	CUMMINS	QSK60-G3	1790	16	60.2	371	3200	600x250x280	13950	1219x244x289	18450
2250	2045	KECSW2250	CUMMINS	QSK60-G4	1915	16	60.2	394	3200	600x250x280	14205	1219x244x289	18705
3000	2750	KECSW3000	CUMMINS	QSK78-G9	2539	18	77.6	528	5000	650x200x275	19000	1219x244x289	23500

All power ratings listed at 50 Hz/1500 rpm/400Vac/3 Phase. Dimensions not to be used for installation purposes

\* Consumption listed as litres per hour in standby operation under standard conditions

\*\*Dimensions listed in Length x Width x Height format. Enclosed dimensions are listed as standard and can modified based on customers requirements (e.g. extra soundproofing, etc.)

**Head  
Office**

Kes Energy  
Piazza delle Fornaci, 4  
36030 Villaverla  
Italy

[info@kes-energy.it](mailto:info@kes-energy.it)

tel. +39 0445 350756

fax +39 0445 350756

**Dubai  
Office**

Kes Energy LLC  
Sheikh Zayed Road, Business Bay  
Fifty One @Business Bay, Office #0607  
Dubai  
United Arab Emirates

[infodubai@kes-energy.it](mailto:infodubai@kes-energy.it)

tel. +971 4 368 8669

fax +971 4 368 8679

**Sales**

[sales@kes-energy.it](mailto:sales@kes-energy.it)

**Service**

[technical@kes-energy.it](mailto:technical@kes-energy.it)


**Export**

[export@kes-energy.it](mailto:export@kes-energy.it)



**KES ENERGY**

**YOUR POWER PARTNER**



[www.kes-energy.it](http://www.kes-energy.it)

Copyright© 2020 by Kes Energy

All rights reserved. Reproduction or dissemination is strictly prohibited without prior written consent from Kes Energy.